

IP Cameras

IR Fixed-focal IP Bullet Camera

		* 18PCS SMD IR Leds * IR distance: up to 30M * Material: Metal * IP66, PoE * Built-in mic(optional)	* Color: White/Grey * QTY/Carton: 24pcs * GW/Carton: 11.5KG * Carton: 612*418*215mm
Model	Pixel	Specification	Lens
GW-HWF37RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@2MP(1920x1080), HDR, Human Body detection	3.6mm
GW-HWF37RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	3.6mm
GW-HWF37RC85-GP	5MP	1/3" CMOS Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8mm
GW-HWF37RC85-ZP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	3.6mm
GW-HWF37RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	3.6mm

IR Fixed-focal IP Bullet Camera

		* 18PCS SMD IR Leds * IR distance: up to 30M * Material: Metal * IP66, PoE * Built-in mic(optional)	* Color: White/Grey * QTY/Carton: 30pcs * GW/Carton: 19KG * Carton: 510*450*315mm
Model	Pixel	Specification	Lens
GW-HWA37RC80-LP	2MP	1/2.8" CMOS Sony Sensor 25/30fps@1080P(1920x1080)HDR, Human Body detection	3.6mm
GW-HWA37RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	3.6mm
GW-HWA37RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body detection	2.8mm
GW-HWA37RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body detection	3.6mm
GW-HWA37RC88-KP	8MP	1/2.8" CMOS Sony Sensor 20fps@8MP(3840*2160)Human Body &Vehicle detection	3.6mm
GW-HWA37RC80-LMP	2MP	1/2.8" CMOS Sony Sensor ; HDR25/30fps@1080P(1920x1080)Human Body detection	2.8-8mm Motorized
GW-HWA37RC85-ZMP	5MP	1/2.8" CMOS Sony Sensor 25fps@5MP(2592*1944)Human Body detection	2.8-8mm Motorized
GW-HWA37RC80-LPA	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080) HDR, Human Body detection Built-in Mic and Speaker, SD card slot	2.8mm
GW-HWA37RC85-ZPA	5MP	1/2.8" CMOS Sony Sensor 25fps@5MP(2592*1944), Human Body detection Built-in Mic and Speaker, SD card slot	2.8mm
GW-HWA37RC88-KPA	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection Built-in Mic and Speaker, SD card slot	2.8mm

IR Fixed-focal IP Bullet Camera

		* 2PCS Array IR Leds * IR distance: up to 30M * Material: Metal * IP66, PoE * Built-in mic(optional) * SD Slot(optional)	* Color: White * QTY/Carton: 24pcs * GW/Carton: 15.5KG * Carton: 612*418*215mm
Model	Pixel	Specification	Lens
GW-HWA49RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080)HDR, Human Body detection	3.6mm
GW-HWA49RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	3.6mm
GW-HWA49RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8mm
GW-HWA49RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944)Human Body &Vehicle detection	3.6mm
GW-HWA49RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	3.6mm
GW-HWA49RC88-VP	8MP	1/2.8" CMOS Sony Sensor, 25/30fps@8MP(3840*2160), Human Body &Vehicle detection	3.6mm
GW-HWA49RC85-ZSP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection with Alarm, Audio, SD Card slot	3.6mm
GW-HWA49RC88-KSP	8MP	1/2.8" CMOS Sony Sensor 20fps@8MP(3840*2160), Human Body &Vehicle detection with Alarm, Audio, SD Card slot	3.6mm

IR Vari-focal lens IP Bullet Camera

		* 20PCS SMD IR Leds * IR distance: up to 40M * Material: Metal * IP66, PoE * Built-in mic(optional)	* Color: White/Grey * QTY/Carton: 18pcs * GW/Carton: 19.5KG * Carton: 615*350*350mm
Model	Pixel	Specification	Lens
GW-HWA56RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm/VF
GW-HWA56RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	2.8-12mm/VF
GW-HWA56RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8-12mm/VF
GW-HWA56RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8-12mm/VF
GW-HWA56RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8-12mm/VF
GW-HWA56RC80-LMP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm Motorized
GW-HWA56RC85-ZMP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8-12mm Motorized
GW-HWA56RC88-KMP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8-12mm Motorized

IR Vari-focal lens IP Bullet Camera

		* 20PCS SMD IR Leds * IR distance: up to 40M * Material: Metal * IP66, PoE * Built-in mic(optional) * SD Slot(optional).	* Color: White/Grey * QTY/Carton: 18pcs * GW/Carton: 22.0KG * Carton: 615*350*350mm
Model	Pixel	Specification	Lens
GW-HWA57RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm/VF
GW-HWA57RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	2.8-12mm/VF
GW-HWA57RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8-12mm/VF
GW-HWA57RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8-12mm/VF
GW-HWA57RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8-12mm/VF
GW-HWA57RC80-LMP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm Motorized
GW-HWA57RC85-ZMP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8-12mm Motorized
GW-HWA57RC88-KMP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8-12mm Motorized
GW-HWA57RC88-VMP	8MP	1/2.8" CMOS Sony 25/30fps@8MP(3840*2160), Human Body &Vehicle detection	2.7-13.5mm Motorized
GW-HWA57RC85-ZSP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(259*1944), Human Body detection With Alarm, Audio, SD Card slot	2.8-12mm/VF
GW-HWA57RC88-KSP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection With Alarm, Audio, SD Card slot	2.8-12mm/VF
GW-HWA57RC85-ZSMP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection With Alarm, Audio, SD Card slot	2.8-12mm Motorized
GW-HWA57RC88-KSMP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection With Alarm, Audio, SD Card slot	2.8-12mm Motorized
GW-HWA57RC88-VSMP	8MP	1/2.8" CMOS Sony 25/30fps@8MP(3840*2160), Human Body &Vehicle detection With Alarm, Audio, SD Card slot	2.7-13.5mm Motorized

Long Range IR Vari-focal lens IP Bullet Camera

		* 4PCS Array IR Leds * IR distance: up to 80M * Material: Metal * IP66, PoE	* Color: White * QTY/Carton: 12pcs * GW/Carton: 20.0KG * Carton: 578*330*360mm
Model	Pixel	Specification	Lens
GW-HWZ86RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080)HDR, Human Body detection	2.8-12mm/VF
GW-HWZ86RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	2.8-12mm/VF
GW-HWZ86RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8-12mm/VF
GW-HWZ86RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8-12mm/VF
GW-HWZ86RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8-12mm/VF
GW-HWZ86RC80-LMP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm Motorized

GW-HWZ86RC85-ZMP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8-12mm Motorized
GW-HWZ86RC88-KMP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8-12mm Motorized
GW-HWZ86RC80-LMP-10	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	5-50mm Motorized
GW-HWZ86RC85-ZMP-10	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	5-50mm Motorized
GW-HWZ86RC88-KMP-10	8MP	1/2.8" CMOS Sony Sensor , 20fps@8MP(3840*2160), Human Body &Vehicle detection	5-50mm Motorized
GW-HWZ86RC85-ZSP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection With Alarm, Audio, SD Card slot	2.8-12mm/VF
GW-HWZ86RC88-KSP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection With Alarm, Audio, SD Card slot	2.8-12mm/VF
GW-HWZ86RC85-ZSMP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection With Alarm, Audio, SD Card slot	2.8-12mm Motorized
GW-HWZ86RC88-KSMP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection With Alarm, Audio, SD Card slot	2.8-12mm Motorized

Car Plate Number IP Bullet Camera

		* 4PCS Array White LEDs * IR Distance: up to 80M * Metal; Color: White * Fan &Heater optional * IP66, PoE	* QTY/Carton: 8 * GW/Carton: 10.5KG * Carton: 550*410*315mm
Model	Pixel	Specification	Lens
GW-HWA35RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR,	6-22mm/VF
GW-HWA35RC85-ZP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	6-22mm/VF

Fixed Lens IP Mini Eyeball Camera

		* 2PCS Array IR Leds * IR distance: up to 20M * Material: Metal * IP66, PoE * Built-in mic(optional)	* Color: White/Grey * QTY/Carton: 45 * GW/Carton: 18KG * Carton:605*375*350mm
Model	Pixel	Specification	Lens
GW-HDA94RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	3.6mm
GW-HDA94RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	3.6mm
GW-HDA94RC85-GP	5MP	1/3" CMOS Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8mm
GW-HDA94RC85-ZP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	3.6mm
GW-HDA94RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	3.6mm

Fixed Lens IP Mini Eyeball Camera

		* 18PCS SMD IR Leds * IR distance: up to 30M * Material: Metal * IP65, PoE * Built-in mic(optional)	* Color: White * QTY/Carton: 45 * GW/Carton: 18KG * Carton: 605*375*350mm
Model	Pixel	Specification	Lens
GW-HDB94RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	3.6mm
GW-HDB94RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	3.6mm
GW-HDB94RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8mm
GW-HDB94RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	3.6mm
GW-HDB94RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	3.6mm

Vari-focal lens IP Eyeball Camera

		* Vari-focal lens IP Dome * 18PCS SMD IR Leds * IR distance: up to 30M * Material: Metal * IP66, PoE * Built-in mic(optional)	* Color: White * QTY/Carton: 24pcs * GW/Carton: 16.0KG * Carton: 640*326*400mm
Model	Pixel	Specification	Lens
GW-HDB98RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm/VF
GW-HDB98RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	2.8-12mm/VF
GW-HDB98RC85-GP	5MP	1/3" CMOS Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8-12mm/VF
GW-HDB98RC85-ZP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8-12mm/VF

GW-HDB98RC80-LMP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm Motorized
GW-HDB98RC85-ZMP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592x1944), Human Body detection	2.8-12mm Motorized
GW-HDB98RC88-KMP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840x2160), Human Body &Vehicle detection	2.8-8mm Motorized

Fixed Lens IP Mini Turret Camera

		* 18PCS SMD IR Leds * IR distance:20-30M * Material: Metal * IP66, PoE * Built-in mic(optional)	* Color: White/Grey * QTY/Carton: 45 * GW/Carton: 18KG * Carton:605*375*350mm
Model	Pixel	Specification	Lens
GW-HDB93RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	3.6mm
GW-HDB93RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	3.6mm
GW-HDB93RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8mm
GW-HDB93RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	3.6mm
GW-HDB93RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840x2160), Human Body &Vehicle detection	3.6mm

Fixed Lens/Vari-focal lens IP Turret Camera

		* 18PCS SMD IR Leds * IR distance: up to 30M * Material: Metal * IP66, PoE * Built-in mic(optional)	* Color: White/grey * QTY/Carton: 24pcs * GW/Carton: 16.0KG * Carton: 640*326*400mm
Model	Pixel	Specification	Lens
GW-HDB97RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	3.6mm
GW-HDB97RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	3.6mm
GW-HDB97RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8mm
GW-HDB97RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	3.6mm
GW-HDB97RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840x2160), Human Body &Vehicle detection	3.6mm
GW-HDB97RC88-VP	8MP	1/2.8" CMOS Sony Sensor, 25/30fps@8MP(3840x2160), Human Body &Vehicle detection	3.6mm
GW-HDB97RC88-KMP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840x2160), Human Body &Vehicle detection	2.8-8mm Motorized

Fixed Lens Mini Vandal-proof IP Dome

		* 10PCS SMD IR Leds *IR Distance: up to 15M *Material: Metal *IP66,IK10, PoE *Built-in mic(optional) , *SD Slot(optional)	
Model	Pixel	Specification	Lens
GW-HDA63RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	3.6mm
GW-HDA63RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	3.6mm
GW-HDA63RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8mm
GW-HDA63RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	3.6mm

New Design Fixed lens IP Dome Camera

		* New design, easy to adjust the lens angle * No more fogging, no more reflective night vision *2PCS Array IR Leds * IR distance: up to 30M * Material: Metal * Reset button, IP66, PoE * Memory card slot, up to 256G	
Model	Pixel	Specification	Lens
GW-HDB51RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	3.6mm
GW-HDB517RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	3.6mm
GW-HDB51RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8mm
GW-HDB51RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	3.6mm
GW-HDB51RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840x2160), Human Body &Vehicle detection	3.6mm

Vari-focal / Fixed Lens Mini Vandal-proof IP Dome

		* 18PCS SMD IR Leds * IR Distance: up to 30M * Material: Metal * IP66,IK10, PoE * Built-in mic(optional) * SD Slot(optional)	* Color: White/grey * QTY/Carton: 24pcs * GW/Carton: 17.0KG * Carton: 560*280*410mm
Model	Pixel	Specification	Lens
GW-HDB54RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm/VF
GW-HDB54RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	2.8-12mm/VF
GW-HDB54RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8-12mm/VF
GW-HDB54RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8-12mm/VF
GW-HDB54RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	3.6mm
GW-HDB54RC88-VP	8MP	1/2.8" CMOS Sony Sensor, 25/30fps@8MP(3840*2160), Human Body &Vehicle detection	3.6mm
GW-HDB54RC80-LMP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm Motorized
GW-HDB54RC85-ZMP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8-12mm Motorized
GW-HDB54RC88-KMP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8-8mm Motorized

Vari-focal Vandal-proof IP Dome

		* 4PCS IR Array Leds * IR Distance: up to 40M * Material: Metal * IP66,IK10, PoE * Built-in mic(optional) * SD Slot(optional)	* Color: White * QTY/Carton: 24pcs * GW/Carton: 18.0KG * Carton:650*280*410mm
Model	Pixel	Specification	Lens
GW-HDB59RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm/VF
GW-HDB59RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	2.8-12mm/VF
GW-HDB59RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8-12mm/VF
GW-HDB59RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8-12mm/VF
GW-HDB59RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8-12mm/VF
GW-HDB59RC80-LMP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm Motorized
GW-HDB59RC85-ZMP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8-12mm Motorized
GW-HDB59RC88-KMP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8-12mm Motorized
GW-HDB59RC88-VMP	8MP	1/2.8" CMOS Sony Sensor, 25/30fps@8MP(3840*2160), Human Body &Vehicle detection	2.7-13.5mm Motorized
GW-HDB59RC85-ZSP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection With Alarm, Audio, SD Card slot	2.8-12mm/VF
GW-HDB59RC88-KSP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection With Alarm, Audio, SD Card slot	2.8-12mm/VF
GW-HDB59RC85-ZSMP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection With Alarm, Audio, SD Card slot	2.8-12mm Motorized
GW-HDB59RC88-KSMP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection With Alarm, Audio, SD Card slot	2.8-12mm Motorized
GW-HDB59RC88-VSMP	8MP	1/2.8" CMOS Sony Sensor, 25/30fps@8MP(3840*2160), Human Body &Vehicle detection With Alarm, Audio, SD Card slot	2.7-13.5mm Motorized

Vari-focal Vandal-proof IP Dome

		* 24pcs SMD IR leds * IR distance: up to 40M * Material: Metal * IP66,IK10, PoE * Built-in mic(optional)	* Color: White * QTY/Carton: 12pcs * GW/Carton: 16.0KG * Carton:575*390*310mm
Model	Pixel	Specification	Lens
GW-HDB78RC80-LP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm/VF
GW-HDB78RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296), 25fps/30fps@1080P(1920x1080)	2.8-12mm/VF
GW-HDB78RC86-GP	6MP	1/3" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8-12mm/VF
GW-HDB78RC86-ZP	6MP	1/2.8" CMOS Sony Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944) Human Body &Vehicle detection	2.8-12mm/VF
GW-HDB78RC88-KP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.7-13.5mm/VF
GW-HDB78RC80-LMP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8-12mm Motorized

GW-HDB78RC85-ZMP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8-12mm Motorized
GW-HDB78RC88-KMP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8-12mm Motorized
GW-HDB78RC85-ZSP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection With Alarm, Audio, SD Card slot	2.8-12mm/VF
GW-HDB78RC88-KSP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection With Alarm, Audio, SD Card slot	2.8-12mm/VF
GW-HDB78RC85-ZSMP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection With Alarm, Audio, SD Card slot	2.8-12mm Motorized
GW-HDB78RC88-KSMP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection With Alarm, Audio, SD Card slot	2.8-12mm Motorized

Hidden Pinhole Lens IP Camera

		* 5×12PCS IR Leds * R Distance: up to 15m * Material: Plastic * IP65, PoE	* QTY/Carton: 36pcs * GW/Carton: 9.5KG * Carton: 515*360*315mm
---	--	--	--

Model	Pixel	Specification	Lens
GW-HMY06RC83-FP	3MP	1/2.7" CMOS Sensor, 25fps@3MP(2304 x 1296)	3.7mm
GW-HMY06RC85-GP	5MP	1/3" CMOS Sensor, 25fps@5MP(2592*1944), Human Body detection	3.7mm

Full Function BOX Camera

		* With Alarm, Audio, SD Card slot * the price is without Lens. * Material: Metal * IP65, PoE	
---	--	---	--

Model	Pixel	Specification	Lens
GW-HAQ97XC85-ZSP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	without lens
GW-HAQ97XC88-KSP	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	without lens

Smart AI IP Cameras

AI IP Turret Camera GW-HDB97RC85-IP-S

Picture	Pixel	Specification	Lens
	5MP	* 1/2.8" CMOS Sensor, * 25fps@5MP(2880*1620) * 18PCS SMD IR Leds, * IR distance: up to 30M * Material: Metal; IP66, PoE, WDR * Built-in mic(optional)	* Intelligent detection: Cross Line, Enter Area, Leave Area, Intrusion, People Flow Counting, Crowd Density Monitoring * WDR 120dB

Active Deterrence AI IP Turret Camera GW-HDB97RC85-IP-PV-S

Picture	Pixel	Specification	Lens
	5MP	* 1/2.8" CMOS Sensor, * 25fps@5MP(2880*1620) * Built-in warm light and IR LED, * IR distance: up to 30M; * full-color image when detect human moving. * Sound and light alarm linkage.	* Intelligent detection: Cross Line, Enter Area, Leave Area, Intrusion, People Flow Counting, Crowd Density Monitoring * WDR 120dB * Material: Metal; IP66, PoE; * Built in two-way audio

Full-color AI IP Turret Camera GW-HDB97RC85-IP-LED-S

Picture	Pixel	Specification	Lens
	5MP	* 1/2.8" CMOS Sensor, * 25fps@5MP(2880*1620) * Built-in warm light, Colorful Imaging 24/7. * IR distance: up to 30M * Material: Metal ; IP66, PoE * Built-in mic(optional)	* Intelligent detection: Cross Line, Enter Area, Leave Area, Intrusion, People Flow Counting, Crowd Density Monitoring * WDR 120dB

AI IP Bullet Camera GW-HWA37RC85-IP-S				
Picture	Pixel	Specification		Lens
	5MP	* 1/2.8" CMOS Sensor, * 25fps@5MP(2880*1620) * 18PCS SMD IR Leds * IR distance: up to 30M * Material: Metal; IP66, PoE * Built-in mic(optional)	* Intelligent detection: Cross Line, Enter Area, Leave Area, Intrusion, People Flow Counting, Crowd Density Monitoring * WDR 120dB	3.6mm
Active Deterrence AI IP Bullet Camera GW-HWA37RC85-IP-PV-S				
Picture	Pixel	Specification		Lens
	5MP	* 1/2.8" CMOS Sensor, * 25fps@5MP(2880*1620) * Built-in warm light and IR LED, * IR distance: up to 30M; * full-color image when detect human moving. * Sound and light alarm linkage.	* Intelligent detection: Cross Line, Enter Area, Leave Area, Intrusion, People Flow Counting, Crowd Density Monitoring * Built in two-way audio * Material: Metal; IP66, PoE; * WDR 120dB	2.8mm/F1.6
Full-color AI IP Bullet Camera GW-HWA49RC85-IP-LED-S				
Picture	Pixel	Specification		Lens
	5MP	* 1/2.8" CMOS Sensor, * 25fps@5MP(2880*1620) * Built-in warm light, Colorful Imaging 24/7, * IR distance: up to 30M; * Built-in mic(optional) * Material: Metal; IP66, PoE	* Intelligent detection: Cross Line, Enter Area, Leave Area, Intrusion, People Flow Counting, Crowd Density Monitoring * WDR 120dB	2.8mm/F1.0
Full-color IP Cameras				
Full-color IP Dome Camera				
		* Built-in warm light, Colorful Imaging 24/7. * IR distance: up to 30M * Material: Metal * IP66, PoE * Built-in mic(optional)		* Color: White/grey * QTY/Carton: 24pcs * GW/Carton: 16.0KG * Carton: 640*326*400mm
Model	Pixel	Specification		Lens
GW-HDB97RC80-LP-LED	2MP	1/2.8" CMOS Sony Sensor; 25/30fps@1080P(1920x1080), HDR, Human Body detection		2.8mm/F1.0
GW-HDB97RC85-ZP-LED	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection		2.8mm/F1.0
GW-HDB97RC85-ZMP-LED	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection		2.8-8mm Motorized
GW-HDB97RC88-KP-LED	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection		2.8mm/F1.0
Full-color IP Dome Camera with two-way talk				
		* Built-in warm light, Colorful Imaging 24/7. * IR distance: up to 30M * Built in Microphone and Speaker, two-way audio, SD slot * Material: Metal, IP66, PoE		* Color: White/grey * QTY/Carton: 24pcs * GW/Carton: 16.0KG * Carton: 640*326*400mm
Model	Pixel	Specification		Lens
GW-HDB97RC85-ZP-SA-LED	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection		2.8mm/F1.0
GW-HDB97RC88-KP-SA-LED	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection		2.8mm/F1.0
Full-color IP Bullet Camera with two-way talk				
Model	Pixel	Specification		Lens
			* Built-in warm light, Colorful Imaging 24/7. * IR distance: up to 30M * Built in two-way audio, SD slot * Material: Metal, IP66, PoE	
GW-HWA37RC85-ZP-SA-LED	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection		2.8mm/F1.0
GW-HWA37RC88-KP-SA-LED	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection		2.8mm/F1.0

Full-color IP Bullet Camera

		* Built-in warm light, Colorful Imaging 24/7. * IR distance: up to 30M * Material: Metal * IP66, PoE * Built-in mic(optional) * SD Card Slot(optional)	* Color: White * QTY/Carton: 24pcs * GW/Carton: 15.5KG * Carton: 612*418*215mm
Model	Pixel	Specification	Lens
GW-HWA49RC80-LP-LED	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8mm/F1.0
GW-HWA49RC85-ZP-LED	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8mm/F1.0
GW-HWA49RC85-ZMP-LED	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8-8mm Motorized
GW-HWA49RC88-KP-LED	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8mm/F1.0

Full-color IP Bullet Camera

		* Built-in warm light, Colorful Imaging 24/7. * IR distance: up to 40M * Material: Metal * IP66, PoE * Built-in mic(optional) * SD Card Slot(optional)	* Color: White/Grey * QTY/Carton: 18pcs * GW/Carton: 22.0KG * Carton: 615*350*350mm
Model	Pixel	Specification	Lens
GW-HWA57RC80-LP-LED	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.8mm/F1.0
GW-HWA57RC85-ZP-LED	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8mm/F1.0
GW-HWA57RC88-KP-LED	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8mm/F1.0
GW-HWA57RC80-LMP-LED	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	2.7-13.5mm Motorized
GW-HWA57RC85-ZMP-LED	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.7-13.5mm Motorized
GW-HWA57RC88-KMP-LED	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.7-13.5mm Motorized

Active Deterrence IP Cameras

Active Deterrence IP Dome Camera with two-way talk

		* Built-in warm light and IR LED, * full-color image when detect human moving. * Sound and light alarm linkage. * Built in two-way audio and SD card slot. * IR distance: up to 30M * Material: Metal * IP66, PoE	* Color: White/grey * QTY/Carton: 24pcs * GW/Carton: 16.0KG * Carton: 640*326*400mm
Model	Pixel	Specification	Lens
GW-HDD97RC85-GP-SA-PV	5MP	1/3" CMOS Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8mm/F1.6
GW-HDD97RC85-ZP-SA-PV	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8mm/F1.6
GW-HDD97RC88-KP-SA-PV	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8mm/F1.6

Active Deterrence IP Bullet Camera with two-way talk

		* Built-in warm light and IR LED, * full-color image when detect human moving. * Sound and light alarm linkage. * Built in two-way audio and SD card slot. * IR distance: up to 30M * Material: Metal * IP66, PoE	
Model	Pixel	Specification	Lens
GW-HWD37RC85-GP-SA-PV	5MP	1/3" CMOS Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8mm/F1.6
GW-HWD37RC85-ZP-SA-PV	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592*1944), Human Body detection	2.8mm/F1.6
GW-HWD37RC88-KP-SA-PV	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	2.8mm/F1.6

IP PTZ Cameras

Mini IP PTZ Bullet Camera

		* 6pcs SMD Array IR Leds *IR distance: up to 30M *Pan speed:0.5°-20°/s, Pan Range:0°-180° *Tilt speed:0.5°-10°/s, Tilt Range:-0.5°-55° *Two-Way Audio, IP66, PoE *Wall & Ceiling mount bracket all-in-one	
Model	Pixel	Specification	Lens
GW-HW40RC80PT-LMP	2MP	1/2.8" CMOS Sony Sensor, 25/30fps@1080P(1920x1080), HDR, Human Body detection	4X, 2.8-12mm Motorized
GW-HW40RC85PT-ZMP	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592x1944), Human Body detection	4X, 2.8-12mm Motorized

2.5 inch Mini IP PTZ Dome Camera

		* 3pcs SMD Array IR Leds * IR distance: up to 30M * Build in Microphone * Horizontal range: 300°, Vertical range:90°, rotation speed :0.5°~15°/s * Human Body detection	
Model	Pixel	Specification	Lens
GW-HDA31RC86PT-ZMP	6MP	1/2.8" CMOS Sensor, 25fps@6MP(3072x2048)/5MP(2592x1944), Human Body & Vehicle detection	3X 2.8-8mm Motorized

3 inch Mini IP PTZ Dome Camera

		* 8pcs Array IR Leds *IR distance:50-80M *8 presets *Pan Range: 0° ~ 355°; Tilt Range: 0° ~ 92° *IP66, PoE *Build in Microphone	
Model	Pixel	Specification	Lens
GW-HP05RC05-85	5MP	1/2.8" CMOS Sony Sensor, 25fps@5MP(2592x1944), Human Body detection	5X, 2.7-13.5mm motorized
GW-HP05RC05-88	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840x2160), Human Body & Vehicle detection	5X, 2.7-13.5mm motorized

3 inch Active Deterrence Mini IP PTZ Dome Camera

		* 6 PCS IR Leds +2 PCS warm IR *IR distance:50-80M *8 presets *Pan Range: 0° ~ 355°; Tilt Range: 0° ~ 92° *IP66, PoE; Two way talk , SD Card slot * full-color image when detect human moving * Human Body detection	
Model	Pixel	Specification	Lens
GW-HP06RC05-85-PV	5MP	1/2.8" CMOS Sensor, 25fps@5MP(2592x1944)	5X, 2.7-13.5mm motorized

4.5 inch Mini IP PTZ Dome Camera

		* 8pcs Array IR Leds * IR distance: 80-100M, 128 preset * Pan Range: 0° ~ 355°; Tilt Range: 0° ~ 90° * IP66, PoE * Build in Microphone * Human Body detection	
Model	Pixel	Specification	Lens
GW-HP15RC20-85	5MP	1/2.8" CMOS Sensor, 25fps@5MP(2592x1944)	20X, 4.7-94mm

4.5 inch Mini IP PTZ Dome Camera

		* 8pcs Array IR Leds * IR distance: 80-100M, 128 preset * Pan Range: 0° ~ 355°; * Tilt Range: 0° ~ 90° * IP66, PoE	
Model	Pixel	Specification	Lens
GW-HP16RC20-85	5MP	1/2.8" CMOS Sensor, 25fps@5MP(2592x1944); Human Body detection Build in Microphone	20X, 4.7-94mm
GW-HP16RC20-88	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840x2160); Human Body & Vehicle detection Build in Microphone, Auto Tracking,	20X, 4.7-94mm
GW-HP16RC33-88	8MP	1/2.8" CMOS Sony Sensor, 20fps@8MP(3840x2160) Human Body & Vehicle detection	33X 4.5-148.5mm

4.5 inch Active Deterrence Auto Tracking IP PTZ Dome Camera

		* 8pcs Array LEDs+6pcs Warm Light * IR distance: 80M, Warm distance: 50M * 128 preset * Pan: 0° ~ 360°; Tilt: 0° ~ 90° * IP66, PoE * Auto Tracking; Human & Vehicle detection * Build in Microphone	
Model	Pixel	Specification	Lens
GW-HP16RC20-86-PV	6MP	1/2.8" CMOS Sensor, 25fps@6MP(3072*2048)	20X 4.7-94mm
GW-HP16RC20-88-PV	8MP	1/2.8" CMOS Sensor, 20fps@8MP(3840*2160)	20X 4.7-94mm
GW-HP16RC25-88-PV	8MP	1/2.8" CMOS Sensor, 20fps@8MP(3840*2160)	25X 5-125mm



6 inch IP PTZ Dome Camera

		* 8pcs Array IR Leds * IR distance:100-120M * 255 preset * Pan Range: 0° ~ 360°; * Tilt Range: 0° ~ 90° * IP66, PoE * Human Body detection	
Model	Pixel	Specification	Lens
GW-HP12RC20-85	5MP	1/2.8" CMOS Sensor, 25fps@5MP(2592*1944)	20X, 4.7-94mm

6 inch IP PTZ Dome Camera

		* 8pcs Array IR Leds * IR distance:100-120M * 256 presets * Pan Range-10° ~ 90°,Tilt Rang: -10° ~ 90° * IP66, PoE add \$10 more * Default: walling bracket, ceiling bracket Optional	
Model	Pixel	Specification	Lens
GW-HP10RC20-80	2MP	1/2.8" CMOS Sensor, 25/30fps@2MP(1920x1080), HDR, Human Body detection	20X, 4.7-94mm
GW-HP10RC20-85Z	5MP	1/2.8" CMOS Sensor, 25fps@5MP(2592*1944), Human Body detection	20X, 4.7-94mm
GW-HP10RC20-85Q	5MP	1/2.8" CMOS Sensor, 25fps@5MP(2592*1944), Human Body detection Support Alarm, Audio in/out and SD slot, Heater.	20X, 4.7-94mm
GW-HP10RC20-88	8MP	1/2.8" CMOS Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection	20X, 4.7-94mm
GW-HP10RC33-88	8MP	1/2.8" CMOS Sensor, 20fps@8MP(3840*2160), Human Body &Vehicle detection) Support Alarm, Audio in/out and SD slot, Heater.	33X, 4.7-94mm

Junction Box and Bracket

Model	Product Picture
GW-FSH-02A	
GW-FSH-04A	
GW-FSH-06A	
GW-FSH-05A	
GW-FSH-07A	
GW-FSH-08A	
GW-FSH-09A	
GW-FSH-10A	
GW-J15-05A	
GW-J15-03A	

GW-J15-04A				
GW-J15-06A				